

INDEX MAPS.

T. 5 S. R. 10 W. 2^d Mer.

202	202	202	201	201	201	
203 6	195 5	198 4	198 3	197 2	197 1	199
194	195	195	196	196	197	
203 7	194 8	194 9	193 10	193 11	193 12	199
190	191	191	191	192	192	
203 18	190 17	189 16	189 15	189 14	188 13	200
186	186	187	187	188	188	
203 19	185 20	185 21	185 22	184 23	184 24	200
181	182	182	183	183	185	
204 30	181 29	180 28	179 27	178 26	177 25	200
181	180	179	178	177	176	
204 31	180 32	178 33	177 34	176 35	175 36	201
174	173	173	173	173	173	
	174	174	175	175	175	

T. 6 S. R. 10 W. 2^d Mer.

236	235	235	235	235	235	
237 6	228 5	231 4	231 3	230 2	230 1	232
227	228	228	229	229	230	
238 7	227 8	226 9	226 10	226 11	225 12	233
223	223	224	224	224	225	
238 18	222 17	222 16	221 15	221 14	221 13	233
218	219	219	220	220	220	
238 19	215 20	218 21	218 22	217 23	232 24	233
215	215	216	216	216	217	
239 30	214 29	214 28	212 27	211 26	210 25	234
209	214	213	212	211	210	
239 31	209 32	213 33	212 34	210 35	209 36	234
208	208	208	207	207	207	
	208	208	207	207	207	

Measured Aug. 232

Township No 6 South of Range No 10 West 2nd Mer.

April 21st 1806. Began to survey this Township after completing the Section in Town 7 South

West Between Towns 6 & 7 South Range 10 W South Side of Sec 3. 6. T. 6 S. R. 10 W

6.90 W. Oak 22 in dia in the line

8.00 A. Ponds 1800 ch. m. w.; Course N 45 W.

35.00 " " 4 " " " " S 40 E.

40.00 Set post for cor to 1/4 sec from which a Gum 12 in dia bears N 58 W. 23 links dist; and a W. Oak 24 " " S 29 E. 59 " "

70.00 7.00 ch. through a Swamp Runs S 50 E.

80.00 Set post cor to Sec. 35. & 36. T. 6 S. R. 10 W. from which a W. Oak 12 in dia bears N 75 W. 31 links dist; and a S. Oak 20 " " S 38 E. 34 " " Sand level
Timber Oak, Elm, & 711 pines

West On Town line on the South side of Sec 35. T. 6 S. R. 10 W

30.75 W. Oak 21 in dia in the line.

40.00 Set post cor to 1/4 sec from which a W. Oak 20 in dia bears N 77 W. 21 links dist; and a W. Oak 18 " " S 28 E. 27 " "

46.60 W. Oak 18 in dia in the line.

80.00 Set post cor to Sec 34. & 35 from which a W. Oak 16 in dia bears N 25 W. 30 links dist; and a W. Oak 11 " " S 48 E. 11 " " Sand level and
part wet; Timber Oak, Hickory and Gum.

West On Town line on the South side of Sec 34. T. 6 S. R. 10 W

12.67 W. Oak 18 in dia in the line

40.00 Set post for cor to 1/4 sec from which a W. Oak 18 in dia bears N 44 E. 35 links dist; and a Hick 12 " " S 14 E. 34 " "

51.75 W. Oak 21 in dia in the line

80.00 Set post for cor to Sec. 33. & 34 T. 6 S. R. 10 W from which a W. Oak 21 in dia bears N 67 W. 11 links dist; and a W. Oak 20 " " S 66 W. 27 " "

T. No 6 E. W. No 10N. 2nd Nov.

Land level and part net; Timber Oak, Hickory
and gum.

-
- West On Town Line South side of sec. 33. T. 6 N. 10W
16.50 A Swamp 300 lbs midw; Course S 50 W
32.90 W Oak 22 in dia in the line
40.00 Set post for cor to 1/4 sec from which an Elm 12 in
dia bears S 76 W. 20 links dist; and a W Oak 30 in
" " N 17 W. 54 " "
73.30 W. Oak 21 in dia in the line
80.00 Set post for cor to sec. 32, & 33. T. 6 N. 10W from
which a W Oak 14 in dia bears N 10 E. 19 links dist
and a W Oak 16 " " " S 39 E. 52 " "
Land level and some net; Timber Oak, Hickory &
Gum, &c
-

- West On Town Line South side of sec 32 T. 6 N. 10W
33.95 W Oak 24 in dia in the line
40.00 Set post for cor to 1/4 sec from which an Ash 16 in
dia bears S 45 E. 21 links dist; and a Birch 18 in
" " N 14 W. 54 " "
40.25 A Swamp 500 links midw; Course S 25 W.
49.00 Part of same Swamp 350 links midw. Course
S 45 E.
73.00 A Pond 200 lbs midw. Course N 20 W
80.00 Set post on a Maple 20 in dia cor to sec. 31
& 32. T. 6 N. 10W from which an Elm 21 in dia
bears N 40 W. 49 links dist; and a Maple 22 " "
" " S 5 W. 29 " " Land level and
some net Timber Oak, Maple, Ash, & Elm
-

- West On Town Line South side of sec. 31. T. 6 S. 10W
25.70 Set post on the 1 Pond of the Oakio from which a
Cottonwood 30 in dia bears S 66 W. 7 links dist;
and an Elm 10 " " " N 45 E 23 " "
Land level & net; Timber Cotton wood Maple, Elm

209

J. No 6. S. R. No 10 N. 2nd Mer

Sycamore

April 3^d 1806

-
- North Between Sec. 31. & 32 J. 6 DR. 10 N.
- 20.00 10 ch. through a Ponds N 20 N.
- 40.00 Set post cor. to $\frac{1}{4}$ Sec from which an Boy Elder 12
in air bears N 86 E. 22 the dish; Hoopmoe 7
" " " S 75 N. 18 " "
- 41.00 W. Brook 40 links wide; Course N 40 N.
- 62.15 N. Gum 22 in air in the line.
- 80.00 Set post cor. to Sec. 29, 30, 31. & 32 from which a
W. Oak 22 in air bears S 12 E. 9 links dish; and a
Poplar 13 " " " N 36 N. 21 " " "
Land on to the branch; then back to Timber W. Oak
& Poplar.
-

- West Between Sec. 30. & 31 On true line.
- 27.95 To a post on the Bank of the Ohio from which an
Elder 12 in air bears N 56 E. 42 links dish; and a
W. Elder 13 " " " S 10 E. 61 " " "
Land on to the branch; Timber W. Oak, & Poplar, some Sugar
-

April 4th 1806.

Observation across the Ohio from the Post on the Bank
between Sec. 30 & 31 N 89 N. to a tree in the South
side of the Ohio; N 16 N. 10.00 S 77 $\frac{1}{2}$ N to the
same tree April 4th 1806

- North Between Sec. 35. & 36 J. 6 DR. 10 N.
- 17.19 To a Hickory 18 in air in the line
- 37.50 To a Pond 200 the wide; Course West
- 40.00 Set post for cor. to $\frac{1}{4}$ Sec from which a Hickory 6 in
air bears N 53 N. 12 links dish; and a Sugar 16 "
" " " N 8 E. 91 " " "
- 67.50 5.50 a pond Course N 45 N.
- 80.00 Set a post cor. to Sec. 25, 26, 35, & 36 J. 6 DR. 10 N
from which a W. Oak 30 in air bears S 72 N 47 the

I No 6 S. R. No 10 W. 2nd Mer

dist; made a B Oak 27 in dia bears N 70 E. 28 tho
dist; Lando had and part met; Timber Oak, &
Hick

East On a Random Line between Sec 25. & 36.

40.00 Set post temp. for cor. to 1/4 Sec

52.00 13.00 through wet swampy land;

77.50 Intersected Range line at the first set for cor. to Sec
25, and 36. Timber B. Oak, W. Oak, Hick &
Gum &c

West On true line between Sec. 25. & 36. Hays back

39.75 Set temp. post at av. dist on true line for cor.
to 1/4 Sec from which a Hick 10 in dia bears East
5 links dist; and a Co 12 " " 946 7128.

79.50 To cor of sec. 25, 26, 35, & 36

North Between Sec. 25, & 26 I 6 Q. R. 10 W.

15.00 3.50 A Pond Course N 45 W.

40.00 Set post for cor to 1/4 Sec from which a Hick 14 in
dia. bears N 79 W. 26 ~~links~~ dist; and a Dogwood 7
" " N 39 E. 13 " "

45.60 W. Oak 22 in dia in the line

56.50 Mark to the post

80.70 Set post cor to sec. 24, 25, 23, & 26 I 6 Q. R. 10 W.
from which W. Oak 16 in dia bears N 34 E. 14 tho
dist; and a W. Oak 12 " " N 71 E. 17 "
" Lando had and dist Timber Oak, Hick
and Gum, &c

North Between Sec 34. & 35 I 6 Q. R. 10 W.

30.00 3.00 A Pond West

40.00 Set post cor. to 1/4 Sec from which a Hick 12 in.
dia bears S 4 E. 30 links dist; & a Co 6 "
" " N 72 E. 12

T. N. 6 S. R. N. 107. 2nd Mer

42.00 10.00 A Ponds Nest
 52.00 W.B. Oak 22 in dia in the line
 73.00 3.50 A Ponds Course Nest
 80.00 Set post cor to sec. 26, 27, 34 & 35 T. 6 S. R. 107 from
 which a B. Oak 14 in dia bears S 85 W. 34 links dist; & a
 B. Oak 21 " " " S 39 E. 21 " "
 Lands level and part net; Timber Oak, & Hickory

East On Random line between Sec. 26 & 35 T. 6 S. R. 107
 Dry Oak Lands to the 1/4 mile post
 40.00 Set temporary post for cor to 1/4 sec
 42.00 2.00 A Ponds Course N 45 E.
 67.50 6.50 " " " N 45 W.
 80.00 Intersected N & S line at the post corner to sec. 25,
 26, 35, 136 Lands level Timber Oak, Hickory & Gum

West Between Sec. 26 & 35 On true line blazed back
 40.00 Set temporary post at av. dist; from true line for cor to
 1/4 sec from which a Gum 10 in dia bears N 70 E. 6 links
 dist; and a Log woods Oak " " S 69 W. 27 "
 80.00 Set post cor to sec. 26, 27, 34, & 35

North Between Sec. 26, & 27 T. 6 S. R. 107
 1466 W. Hickory 30 in dia in the line.
 20.50 1.50 A Ponds Course Nest
 40.00 Set post cor. to 1/4 sec from which a Hickory 10 in dia bears
 N 88 E. 15 links dist; and a Gum 13 " "
 N 2 W. 13 " "
 45.00 10.00 wet ground.
 70.00 a Gum 14 in dia in the line
 73.50 1.50 A Ponds Course Nest
 80.00 Set post cor to sec. 22, 23, 24, 27 T. 6 S. R. 107.
 from which a B. Oak 27 in dia bears N 43 E. 8 links dist
 and a Hickory 14 " " " S 27 W. 23 " "
 Lands level and part net; Timber Oak, & Hickory.
 Gum & Log woods;

T. No 6 L.R. No 107.

North Between Sec. 33 & 34. T. 6 L.R. 107.

21.00 AM Oak 32 in dia. in the line

40.00 Set post cor. to to $\frac{1}{4}$ sec from which a Gum 12 in dia
bears S 77 E. 17 links dist; and a Gum 12 in
" S 58 W. 44 " "

64.25 AM Oak 30 in dia in the line

67.00 3.00 A Pond Course N 40 W

80.00 Set post for cor. to Sec. 27 & 28 33 & 34 T. 6 L.R. 107
from which a Maple 16 in dia bears S 53 E 18 links dist
and a Maple 14 " " N 61 W. 27 "
Sands level and part met. Timber Oak, Maple Gum
& Hick

East On Random line between Sec. 27 & 34

40.00 Set temporary post for cor. to $\frac{1}{4}$ sec.

46.50 28.50 New land; Course N. 70 W

79.95 Intersected N. & S line 50 links North of post cor.
to Sec. 26, 27 34 & 35 Timber Oak, Hick, Elm,
& Gum

West On true line between Sec. 27 & 34. T. 6 L.R. 107

39.97 1/2 Set temporary post to aver. dist; on true line for cor. to
 $\frac{1}{4}$ sec from which an Elm 12 in dia bears S 29 W.
27 links dist; and a W. Oak 12 " " N 48 E.
18 " " April 21. 1806

79.95 To cor. of Sec. 27, 28, 33 & 34

North Between Sec. 27 & 28. T. 6 S. 4 R. 107.

16.50 2.50 Water Creek

25.50 13.50 Water "

40.00 Set post for cor. to $\frac{1}{4}$ sec from which a Hick 18 in
dia bears N 18 W. 5 links dist; and a Do 12 in
" " S 68 E. 17 " "

50.00 .50 a Pond Course West

61.00 4.50 " " " "

69.48 AM Oak 30 in dia in the line

T. No 6. S. R. No 10 N. 2nd Mv.

73.00 Water to the Post
 80.00 Set Post for cor. to Sec. 21, 22, 27 & 28 T. 6 S. R. 10 N. from which an Elm 20 in dia bears S 85° W. 25 links dist; and an N. Oak 24 " " N 30° W 57 " " Ground level and part not; Timber Oak, Hickory, Maple & Gum

North Return Sec. 32, & 33 T. 6 S. R. 10 N.

5.00 550 A Pond Course West
 17.00 At 10 links mid; Course West
 28.00 A Pond to the Half mile Post
 40.00 Set a post for cor. to the 1/4 Sec from which an Elm 12 in dia bears N 26° W. 20 links dist; and an Oak 18 " " N 18° E 40 " "
 44.08 N.B. Oak 22 in dia in the line
 65.00 A Ramp 17.50 Course West
 75.50 A Pond to the Post
 80.00 Set post cor. to Sec. 28, 29, 32 & 33 T. 6 S. R. 10 N. from which an N. Oak 26 in dia bears N 15° E. 38 links dist; and an N. Oak 26 " " S 16° W. 11 " " Ground level; Timber Oak, Hickory, & Gum. & Maple.

East On Random line between Sec. 28 & 33

7.50 Pond Course S 50° W
 15.00 20.00 Pond
 40.00 Set temp. Post for 1/4 Sec Cor.
 45.00 5.00 A Pond Course N.
 71.50 3.00 A Pond " N 40° W
 80.00 Intersected at S line at the Post set for cor. to Sec. 27, 28, 33 & 34 Ground level and part not; Timber Oak, Hickory, Maple, Gum, &c

West On true line between Sec. 28, & 33 T. 6 S. R. 10 N.

40.00 Set temp. Post at aver. dist. in true line for cor. to 1/4 Sec from which an Oak 10 in dia bears N 40° E 21

T. N. O. S. M. N. 10 N. 2nd Mer

bears S30 W. 11 links dist; and a S Oak 16 in dia
 " N52 W. 23. "

50.00 W. Oak 20 in dia in the line

80.00 Set post for cor to Sec 17, 18, 19 & 20; S6 S. 10 W.
 from which a Poplar 22 in dia bears N22 W. 28
 links dist; and a S Oak 36 in " " N78 E. 44
 " " Sand bar and part wet; Timber Oak,
 Poplar, Hickory and Gum, April 22, 1886

East On Random line between Sec. 21 & 28

40.00 Set temporary post for cor. to 1/4 Sec

60.00 Pm to the post and the water deep Sand bar
 Timber Oak, Hickory & Elm Maple &c

West On true line between Sec. 21 & 28

40.00 Set temporary post for aver. dist. on true line for cor.
 to 1/4 Sec from which a S Oak 6 in dia bears S77 E
 22 the dist; and a W Oak 8 in " " S41 W
 22 " "

East On Random line between Sec. 22, & 27

7.50 Wet Ground

40.00 Set temporary post for cor to 1/4 Sec.

55.00 A Pm to 10.00

80.00 Intersected N. & S. line at the post cor to Sec. 22,
 23, 24, & 27 Timber Oak, Hickory & Elm Oak
 and Gum,

West On true line between Sec. 22, & 27

40.00 Set temporary post for aver. dist; on true line for cor to
 1/4 Sec from which a Honey Locust 16 in dia bears
 N76 W. 20 links dist; and a S Oak 24 in " "
 S42 E. 38 " "

80.00 To post set for cor. to Sec. 21, 22, 27, & 28

East On Random line between Sec. 23 & 26

T. N. C. & R. No 10 W. 2nd Mer.

- 30.00 Wet Grounds 12.50
 40.00 Set post/temperary for cor. to $\frac{1}{4}$ Sec.
 60.00 Wet lands to the post
 80.00 Intersected the N & S. line 50 links N of post
 Set for cor to Sec. 23, 24, 25, & 26. Timber
 Oak, Gum Maple, Elm, & Hickory

- West On true line between Sec. 23 & 26. T. 6 S. R. 10 W.
 40.00 Set temp. post at aver. dist. on true line for cor to $\frac{1}{4}$
 Sec from which a Hickory 10 in dia bears S 43 W. 5 Chs
 dist; and a 120 14 n n n N 23 W 3 n
 80.00 To post for cor to Sec. 22, 23, 26, 27

- East On Random line between Sec. 24 & 25.
 3.50 16.50 Wet lands
 40.00 Set temp. post for cor to $\frac{1}{4}$ Sec
 41.50 Wet land to the post
 80.00 Intersected Range line at the post cor to Sec. 24 & 25
 T. 6 S. R. 10 W. The water in the wet lands runs North
 Timber Oak, Maple & Gum

- West On true line between Sec. 24 & 25
 40.00 Set temp. post at aver. dist. on true line for cor to
 $\frac{1}{4}$ Sec from which a Mulberry 6 in dia bears S 21 W
 15 links dist; and a Dogwood 8 n n n N 42 E
 24 n n n
 80.00 To post for cor to Sec. 23, 24, 25 & 26
 For line between Sec. 23 & 24 see end of Township

- North Between Sec. 22 & 23 T. 6 S. R. 10 W.
 22.12 To a Hickory 18 in dia stands in the line
 40.00 Set post for cor to from which ^{Height} 18 in dia bears
 N 19 W. 9 links dist; and a W. Oak 14 n n n
 N 45 E 9 n n n
 46.12 To an Oak 14 in dia in the line
 80.00 Set post for cor to Sec. 13, 14, 23, & 24 T. 6 S. R. 10 W
 from which an Elm 12 in dia bears N 71 E. 22 Chs dist

S. N. 6 S. R. N. 10 N. 2nd Mer

and a W. Oak 22 in dia bears S47 N. 67 the dist.
Lands level; Timber W. Oak, & Hickory. Some W.
Oak, & Ash,

North Petawan Dec. 21. & 22 J. 6 S. R. 10 N
25.00 A Pond

36.25 A W. Oak 30 in dia stands in the line

40.00 Set post for cor. to 1/4 Sec from which a W. Oak 12 in
dia bears N12 W. 35 the dist; under a Log with a
" " S41 E. 7 " "

75.09 A W. Oak 24 in dia stands in the line

80.00 Set post for cor. to Sec. 15, 16, 21. & 22 from which
a W. Oak 21 in dia bears N52 E. 58 the dist; under
W. Oak 18 " " " N66 W. 80 " "
Lands level; Timber Oak, & Hickory Elm & Maple

North Petawan Dec. 20. & 21. J. 6 S. R. 10 N

5.00 15.00 Wet lands

40.00 Set post for cor. to 1/4 Sec from which a Gum 10 in
dia bears S60 E. 15 the dist; & a " 20 " "
" " S57 W. 20 " "

68.00 A Brook 10 the wide, Course N75 W.

80.00 Set post for cor. to Sec. 16, 17, 20. & 21 J. 6 S. R. 10 N
from which a Hickory 15 in dia bears N28 W. 15 the
dist; under a " 22 " " " S21 W. 35 "
" Timber Oak, Hickory and Gum.

West Petawan Dec. 18. & 19 J. 6 S. R. 10 N Inu line

22.00 A Brook 3 links wide; Course N.

30.38 A W. Oak 20 in dia stands in the line

38.50 A Brook 3 links wide; Course N45 W.

40.00 Set post for cor. to 1/4 Sec from which a Gum 14 in dia
bears N85 W. 31 links dist; under a Gum 16 " "
" S67 W. 40 " "

45.00 A Brook 3 links wide; Course North

51.50 " " 3 " " " "

T. N^o 6. L.R. N^o 10 W. 2nd Mo.

N 53 W. 36 links dist; and an R. Oak 10 in dia
 bears S 42 W 31 links dist,
 80.00 To the post set for cor. to Sec. 16, 17, 20, & 21.

East On Random line between Sec. 15 & 22
 28.00 At Brook 10 links wide; Course N 50 W
 40.00 Set temp. post for cor. to 1/4 Sec
 80.20 Intersected N. & S. line 40 links North of post set
 for cor. to Sec. 14, 15, 22, & 23. Land here and
 about water, Timber Oak, Elm, Ash, Gum & Hickory

West On true line between Sec. 15 & 22
 40.00 Set temp. post at corr. dist. on true line for cor.
 to 1/4 Sec from which an R. Oak 18 in dia bears N 30
 W 25 links dist; and an Gum 10 in dia S 46
 E 36 in in
 80.20 To post for cor. to Sec. 15, 16, 21, & 23

East On Random line between Sec. 14 & 23
 50 At Brook 12 links wide, course N.
 20.25 " " 25 " " " "
 40.00 Set temp. post for cor. to 1/4 Sec
 80.00 Intersected N. & S. line at the post set for cor. to
 Sec. 14, 15, 22, & 23. The last 45 ch. water; Timber
 Oak Maple, Elm Ash & Hickory

West On true line between Sec. 14 & 23
 40.00 Set temp. post at corr. dist. on true line for cor.
 to 1/4 Sec from which an Elm 10 in dia bears N 88 E
 11 links dist; and an Oak 12 in dia S 27 W
 19 in in
 80.00 To the post set for cor. to Sec. 14, 15, 22, & 23

East On Random line between Sec. 13 & 24
 Water from the post 58.50 Course N 45 E.
 40.00 Set post temp. for cor. to 1/4 Sec

T. N.º 6 S. R. N.º 10 N. 2nd Mer

79.59 Insected N. S. Line 30 links South of post set
for cor. to Sec. 13. & 24 T. 6 S. R. 10 N. Lands here
generally met Timber Oak, Gum, Elm & Hickory

West On true line between Sec. 13. & 24 T. 6 S. R. 10 N.
3979^{ft} Set temporary post at approx. dist. on true line for cor.
to '1/4 sec from which an Elm 16 in dia bears S 29
W 20 links dist; and an Elm 12 " " " N 16
W. 23 " "

North Between Sec. 13. & 14 T. 6 S. R. 10 N

26.27 An Oak 30 in dia stands in the line

40.00 Set post for cor. to '1/4 sec from which an Oak 20 in dia
bears S 36 W. 23 links dist; and a Gum 10 " "
" S 79 E. 11 " "

48.25 An Elm 14 in dia stands in the line

80.00 Set post for cor. to Sec. 11, 12, 13. & 14 from which
an Oak 7 in dia bears N 75 W. 14 links dist; &
an Oak 30 " " " S 40 W. 26 " "
Lands all met; Timber Gum Oak, Maple & Hickory

North Between Sec. 14 & 15. T. 6 S. R. 10 N

3.00 An Oak 22 in dia stands in the line

19.00 At brook 6 links wide; Course N 40 E.

37.25 Pigeon branch 250 links wide Course N. 60 W

40.00 Set post for cor. to '1/4 sec from which a Gum 10 in
dia bears S 11 E 10 links dist; and a 10 " 10 "
" " S 41 W 11 " "

73.17 A Hickory 14 in dia stands in the line

80.00 Set post for cor. to Sec. 10, 11, 14 & 15. T. 6 S. R. 10 N
from which an Elm 14 in dia bears S 42 E. 25. the
dist and an Elm 24 " " " S 21 W. 53 "
" Lands part met; Timber Oak, Ash, Maple,
Gum & Hickory

North Between Sec. 15 & 16 T. 6 S. R. 10 N

T. N. C. S. R. No 10 W. 2nd Mo

North Bank of Figure Cr. Course S 70 W
 80.00 Set post for cor to Sec. 7, 8, 17, & 18 from which a
 N. Oak 22 mi dia bears N 75 W. 23 miles dist
 & an oak 12 " " " S 52 W. 144 " "
 Timber Oak, and Hard some Gum & Elm

West On true line between Sec. 7 & 18 T. 6 N. R. 10 W.
 29.57 N. Oak 25 miles wide; Course S.
 31.53 N. Oak 22 mi dia stands in the line
 40.00 Set post for cor to 1/4 Sec from which an Elm 12
 mi dia bears N 71 W 38 miles dist; and a Hick 12
 " " " S 28 W. 28 " "
 71.70 Intersected Range line 285 miles South of post.
 Set for cor of Sec. 7, 8, 18 T. 6 N. R. 10 W. and set a post
 from which a Hick 710 mi dia bears N 40 E. 38 mi
 dist; and a N. Oak 12 " " " S 3 E 17 "
 " Sand hill and bushy Timber Oak, Hick

East On Remain line between Sec. 8 & 17 T. 6 N. R. 10 W.
 2.80 To Figure Cr. Course S 70 W
 21.57 " " " " " N 60 W
 32.50 " " " " " S 60 W
 40.00 Set temporary post for cor to 1/4 Sec
 55.00 N. Oak 6 miles wide; Course N.
 80.00 Intersected N & S line at the post set for cor of
 Sec. 8, 9, 16, 17 At the several crossings of Fi-
 gure Creek the Oak Rome brush; Timber Oak
 Hick & Gum.

West On true line between Sec. 8 & 17
 40.00 Set temporary post at av. dist on true line for cor
 to 1/4 Sec from which a N. Oak 14 mi dia bears S 59 W
 37 miles dist; and a N. Oak 15 " " " N 33 W
 33 " "
 42.87 To a Gum 10 mi dia stands in the line on the bank
 of Figure Creek

T. No 6 S. W. No 10 N. 2nd Mer

80.00 To the post set for cor to Sec 7, 8, 17 & 18.

East On Random line between Sec 9 & 16

5.08 To a gum on the bank of Pigeon 257 lks. mid
Course N 60 W

110.00 Set temporary post approx cor to 1/4 Sec

53.50 Spring branch Course South

67.50 " " " " " "

80.20 Intersection N & S line 26 links North of post set
for cor. to Sec 7, 10, 15 & 16. Lands here and post
med; Timber Oak, Poplar, Gum, & Sugar tree

West On true line between Sec 9 & 16

110.10 Set temporary post at aver. dist. in true line for cor to
1/4 Sec from which a Sugar tree 42 in dia bears
S by N 10 links dist; & a 20" 13" " "
N 30 E 36 " "

80.20 To cor of Sec 8, 9, 16, & 17

East On Random line between Sec 10 & 15

10.00 2750 Not lands

110.00 Set temporary post for cor to 1/4 Sec

80.00 Intersection N & S line at post set for cor to Sec
10, 11, 14, & 15 The last 1/2 mile over low ridges
Timber Gum, Oak, Poplar, & Sugar tree.

West On true line between Sec 10 & 15 T. 6 N. 10 W.

110.00 Set temporary post at aver. dist; in true line for cor
to 1/4 Sec from which an Oak 21 in dia bears N 45 E
24 links dist; under Hickory 22" " " N 71 W
35, " "

80.00 Set post for cor to Sec 9, 10, 15, & 16

East On Random line between Sec 11 & 14 T. 6 N. 10 W.

1562 To Pigeon Cr. 263 links mid; Course S 20 W.
Can cannot

T. N. O. S. R. N. 10th. 2nd Me.

- 40.00 Set temp. post for cor to $\frac{1}{4}$ sec
 68.00 At Brook 6 miles wide; Course N.
 69.00 " " 10 " " " "
 80.00 Intersected N & S. line at the post set for cor to sec.
 11, 12, 13. & 14 Land plants set; Timber Oak,
 Ash, Gum & Hickory

- West Entrance line between Sec. 11. & 14
 40.00 Set temp. post at aver. dist; on true line for cor to
 $\frac{1}{4}$ sec from which a Gum 7 in dia bears N 65° W
 10 miles dist; and a W. Oak 24 " " " S 20° E.
 10 " "
 61.75 To a Hickory 12 in dia in the line on the bank of River
 80.00 To the post set for cor. to Sec. 10, 11, 14. & 15

- East Entrance line between Sec. 12. & 13.
 35.00 Not ground
 40.00 Set temp. post for cor to $\frac{1}{4}$ sec in a drain N 45° E
 47.50 At Brook 50 miles wide; Course N 45° W
 80.00 Intersected N & S line at the post for cor to Sec. 12
 & 13. T. C. S. R. 10th Timber Oak, Ash, Hickory, Maple
 & Elm,

- West Entrance line between Sec. 12. & 13
 40.00 Set temp. post at aver. dist on true line for cor to
 $\frac{1}{4}$ sec from which a Gum 22 in dia bears N 35° W
 16 miles dist; and a Ash 20 " " " S 74° W
 25 " " April 25. 1806
 80.00 To a post set for cor to Sec. 11, 12, 13 & 14

- North Entrance Sec. 11. & 12 T. C. S. R. 10th
 30.00 Not ground
 15.58 At Oak 22 in dia stands in the line
 40.00 Set post for cor to $\frac{1}{4}$ sec from which an Oak 14
 in dia bears N 7° E. 22 miles dist; & an Oak 18
 " " " S 58° E. 33 " "

T. N. 6 S. R. N. 10 W. 2nd Mo

- 62.15 NW 1/4 14 in dia stands in the line
 80.00 Set post for cor to Sec. 1, 2, 11, & 12 from which a
 B Oak 12 in dia bears N43 E 19 links dist; &
 all Oak 13 " " " S 87 N. 27 " "
 Lands level and quite set Timber Oak, ash
 Gum & Hickory

North Between Sec. 10 & 11 T. 6 S. R. 10 W.

- 15.50 NW 1/4 6 1/2 miles; corner N 50 E
 22.37 NW Oak 18 in dia stands in the line
 40.00 Set post for cor. to 1/4 sec from which a Poplar 20
 in dia bears N 38 E. 37 links dist; and an ash 12
 " " " S 77 E. 16 " "
 61.25 To all Oak 20 in dia stands in the line
 80.00 Set a post cor to Sec. 2, 3, 10, & 11 T. 6 S. R. 10 W.
 from which a Poplar 14 in dia bears N 72 W. 16 links
 dist; and a W Oak 21 " " " S 10 W. 25 "
 " Lands low ridges good for wheat; Timber
 W & B Oak Poplar & Ash,

North Between Sec. 9 & 10 T. 6 S. R. 10 W.

Not bounded 13.00

- 40.00 Set post for cor to 1/4 sec from which a Gum 22
 in dia bears S 77 W. 24 links dist; & a W Oak 22
 " " " N 67 W. 28 " "
 43.00 NW 1/4 15 1/2 miles; corner West
 54.50 " " 20 " " " "
 55.50 NW Oak 22 in dia stands in the line
 80.00 Set post cor to Sec. 3, 4, 9 & 10 from which all Oak
 15 in dia bears S 44 W. 40 links dist; and an ash
 10 " " " N 27 W. 17 " "
 Lands generally wet; Timber Oak, ash, Gum
 & Hickory

North Between Sec. 8 & 9 T. 6 S. R. 10 W.

- 3.50 NW Oak 18 in dia stands in the line.

T. No. 6 S. N. No. 10 N. 2nd Mer.

- 4.50 To the Bank of Pigeon. 250 links wide; Course N 40 W
 24.00 At Brook 4 links wide; Course West
 26.00 W. Oak 23 in dia stands in the line
 40.00 Set post for cor. to 1/4 sec from which an Ash 12 in dia
 bears N 53 W 7 links dist; and a Hickory 1/4 "
 " S 87 E. 10 " "
 49.50 At Brook 50 links wide; Course S 50 W.
 53.25 W. Oak 36 in dia stands in the line
 80.00 Set a post for cor. to Sec. 4, 5, 8, & 9 from which an
 W Oak 22 in dia bears S 17 E. 14 links dist; & a
 W. Oak 14 " " " N 23 W. 34 " "
 Sandhill Timber Oak, & Hickory

- North Between Sec. 7 & 8 T. 6 S. N. No. 10 W
 13.00 At Brook. 5 links wide; Course N 40 E.
 19.58 A Poplar 14 in dia stands in the line
 35.00 At Brook 3 links wide; Course West.
 40.00 Set post for cor. to 1/4 sec from which a Oak 6 in
 dia bears N 31 E. 10 links dist; and a Gum 5 "
 " " S 5 W. 9 " "
 48.26 To a B Oak 30 in dia stands in the line
 53.00 At Brook 6 links wide; Course West
 80.00 Set a post for cor. to Sec. 5, 6, 7, & 8 from which a
 W. Oak 18 in dia bears N 53 E. 20 links dist; and an
 W. Oak 24 " " " S 38 E. 31 " "
 Sand hills in low ridges; Timber Oak, Hickory & Popl.

- West On true line between Sec. 6 & 7 T. 6 S. N. No. 10 W
 19.50 At Brook 6 links wide; Course —
 36.50 " " 12 " " " South.
 40.00 Set post for cor. to 1/4 sec from which a Hickory 6 in dia
 bears N 20 E. 9 links dist; and a Do Do " "
 " S 13 W. 14 " "
 67.50 At Brook 8 links wide Course South.
 71.00 Intersected Range line 265 links South of post set
 for cor. to Sec. 6 & 7 and set a post from which a B.

T. N. 6 S. R. N. 10 W. 2nd Mer.

Oak 20 in dia bears S 58 E. 53 links dish; & a
 Hickory 14 " " " N 18 E. 62 " "
 Land had some brush Timber Oak, & Hickory

North Between Sects 5 & 6 T. 6 S. R. 10 W.

- 5.96 A.B. Oak 30 in dia stands in the line
 37.50 A Brook 10 links midw; Course S 40 W.
 40.00 Set post for cor. to 1/4 sec from which a N. Oak 10 in
 dia bears S 32 W. 16 links dish; under Gum 10 "
 " " N 15 E. 30 " "
 64.50 A Brook - 1/2 sec wide Course S 20 W
 72.38 A N. Oak 16 in dia stands in the line
 82.40 Intersected Iron Line 31 links west of post set
 for cor. to Sect. 5 & 6. T. 6 S. R. 10 W. under set a
 post from which a Gum 10 in dia bears S 48 E. 25
 links dish; under a W. Oak 7 " " " S 51 W. 19
 " " Land lies in low ridges Timber Oak,
 & Hickory

East Between Sects 5 & 8 On Random line

- 3.50 A Brook. - 1/2 sec wide; Course S 75 W
 40.00 Set temp. post for cor. to 1/4 sec
 51.50 A Brook 20 links wide; Course South
 79.80 Intersected N. & S. line 50 links East of post set
 for cor. to Sect. 4, 5, 8, 9. Land lies in low ridges
 Timber B. & W. Oak, Hickory and Dogwood

West Between Sects 5 & 8 On true line

- 39.90 Set temp. post at approx. dish, on true line from which
 a B. Oak 20 in dia bears S 60 E. 20 links dish;
 & a B. Oak 28 " " " N 61 W. 46 " "
 79.80 To post set for cor. to Sect. 5, 6, 7 & 8.
 April 26 1806.

East Between Sects 4 & 9 On Random line

- 7.00 A Brook 50 links midw; Course South

T. N. & G. R. No 10 N. 2nd Mer.

- 28.00 At Brook 15 miles wide Course N 60 W
 40.00 Set trap for first for cor to $\frac{1}{4}$ sec
 79.00 Intersected N. & S. line at the first cor to Sec. 3,
 4, 9, & 10 T. & G. R. 10 N. Lands level and point not
 Timber Oak Hickory Gum & Ash

- West On true line between Sec. 4 & 9 T. & G. R. 10 N
 39.50 Set trap for first for aver. dist; on true line for cor to
 $\frac{1}{4}$ sec from which alt. Oak 33 in dia bears S 72 E 36
 miles dist; and an Ash 12 in " " N 73 E 15
 80.00 To the first set for cor. to Sec. 4, 5, 8, & 9.

- East On Random line between Sec. 3 & 10
 40.00 Set trap for first for cor to $\frac{1}{4}$ sec
 80.00 Intersected N. & S. line at the first set for cor to Sec.
 2, 3, 10, & 11 Lands generally not; Timber Oak, Ma
 yu Elm, & Ash Hickory and Gum.

- West On true line between Sec. 3 & 10 T. & G. R. 10 N
 40.00 Set trap for first at aver. dist; on true line for cor to
 $\frac{1}{4}$ sec from which alt. Oak 40 in dia bears N 32 E.
 12 miles dist; and a Maple 12 in " " S 39 E.
 16 in " "
 80.00 To the first for cor to Sec. 3, 4, 9, & 10.

- East On Random line between Sec. 2, & 11 T. & G. R. 10 N
 27.50 At Brook 5 miles wide; Course N 40 E.
 40.00 Set trap for first for $\frac{1}{4}$ sec cor.
 76.50 To Pigeon Creek Course S 15 W.
 80.00 Intersected N. & S. line at the first set for cor to Sec.
 1, 2, 11, & 12. Lands lie in low ridges Timber Oak
 & Hickory

- West On true line between Sec. 2, & 11 T. & G. R. 10 N
 1.45 Post on the bank of Pigeon Creek
 40.00 Set trap for first at aver. dist on true line for cor to

T. N. 6 GR. N. 1077. 2nd Mer

$\frac{1}{4}$ sec from which a N. Oak 11 in dia bears S62E20
 miles dist; and an W. Oak 22 " " N16W20

80.00 Set post cor to Sec. 2, 3, 10, 11.

East On Random line between Sec. 1 & 12.

40.00 Set trap; post for cor to $\frac{1}{4}$ sec

77.50 A Birch 50 miles wide; Course N50W

81.50 Intersected Range line 57 miles South of Post
 Set for cor to Sec. 1 & 12. Land has been planted with;
 Timber Oak, Ash, Gum & Hickory

West On True line Hazards between Sec. 1 & 12

40.25 Set trap; post at river mouth; on true line for cor to
 $\frac{1}{4}$ sec from which an Oak 5 in dia bears S56E8
 miles dist; and an Oak 6 " " N58W24

80.50 Set a post for cor to Sec. 1, 2, 11, 12

North Between Sec. 1 & 2 T. 6 N. 1077

.50 A Locust 3 miles wide; Course N.

21.08 N. Oak 18 in dia in the line

36.67 T. Spruce 25 miles wide; Course S15W

40.00 Set post for cor. to $\frac{1}{4}$ sec from which an Oak 10 in
 dia bears S28E43 miles dist; and an N. Oak 24
 " " S32W4 " "

60.25 A Hickory 22 in dia stands in the line

81.75 Intersected St. Bernard 100 lbs west of post set
 for cor to Sec. 1 & 2 and set a post from which a
 W. Locust 20 in dia bears S61E. 27 miles dist; an
 W. Oak 10 " " S44W72 " " Land
 level; some bottom Timber Oak, Elm, Gum &
 Hickory

North Between Sec. 2 & 3. T. 6 N. 1077

40.00 Set post for cor to $\frac{1}{4}$ sec from which an Oak

I No. 6 S R. No. 10 N 2nd Mar.

- 20 in dia beav S44 E. 5 links dist; and a *Em*
C n n n N 65 W C n n
 58.00 *W Brook* 20 links mid; *Course* S. 50 E
 62.40 *W Oak* 22 in dia stands in the line
 80.80 Intersected *N. Boundary* 40 links West of post
 set for the cor of lot 2, & 3 and set a post from
 which a *N. Oak* 12 in dia beav S43 W. 14 links dist;
 and a *N. Oak* *C n n n* S20 E. 18 n n
Land lies in *timber*; *Timber* *N. Oak*, *N. Oak*
& Hick; *Some* *Poplar*, & *Gum*

North Between Sect 3 & 4 I C S R. 10 N

- Post to the post* 40.00
 40.00 Set post for cor. to *1/4 Sec* from which a *Heirey* 12
 in dia beav S37 E. 8 links dist; and a *Gum* 14
n n n N 13 W. 21 n n
 60.00 *Post* *Land* to the *post*.
 81.25 Intersected *N. Boundary* *Post* set at *post* for cor to
Lot 3 & 4 I C S R. 10 N from which a *N. Oak* 21
 in dia beav S42 W. 37 links dist; and a *Gum* 10
n n n S42 E. 24 n n *Land* *had* and
Post *met*; *Timber* *Oak*, *Gum*, *Maple*, & *Elm*.

North Between Sect 4 & 5. I C S R. 10 N

- 30.00 *W Brook* 10 links mid; *Course* East.
 33.50 *n n* 50 *n n n* S60 E.
 40.00 Set *Post* for cor to *1/4 Sec* from which a *N. Oak* 12 in
 dia beav S26 W. 12 links dist; and a *N. Oak* 18 n
n n S3 E 24 n n
 47.50 *W Brook* 50 links mid; *Course* S45 W.
 49.00 *n n* 50 *n n n* S40 E
 55.00 *Same* *n* 50 *n n n* S60 W
 82.20 Intersected *N. Boundary* 66 links E of *post* set for
 cor to *lot 4 & 5* and set a post from which a *Heirey*
 8 in dia beav S12 E. 41 links dist; and a *Lo*
 10 *n n n* S63 W. 25 *n n* *Land* *had* and

T^o No 6 G.R. No. 107. 2nd Me.

Tintw Oak. & Hickory April 28. 1886

Meanders of the Ohio from a post between Tintw
6 & 7 in Range 10 Sec. 6 & 31

N 12 W 36.00

N 5 E 38.83 To a Brook 50 links wide;

N 10 W 7.80 To a post between Sec. 30 & 31

N 16 W 13.50

N 26 W 22.44

N 37 W 13.00

N 32 W 13.59

N 69 W 11.94 To a post between Sec. 25 & 30 Ranges
10 & 11. T^o 6. & 6.5

April 28. 1886

North Between Sec. 23 & 24 Tintw. 6 G.R. 107

7.00 10.00 Met lands:

40.00 Set post for cor to 1/4 sec from which an R. Oak
12 in dia bears S 20 W 25 links dist; & an Elm
13 " " " S 24 E 27 " "80.00 Set post for cor to Sec. 13, 14, 23, & 24 from which
an S. Oak 12 in dia bears S 75 E 11 links dist;
& an S Oak 16 " " " N 74 W 17 " "The last 1/2 mile met; Tintw Oak, Maple; Elm,
Ash, & Hickory: The above line was omitted by mis-
take in its proper place.

East. Boundary, Var,

South Co. & Boundary of Sec. 1,

9.30 an R. Oak 24 in dia;

10.34 a post 220 links on course N 60 W.

30.25 an R. Oak 18 in dia,

40.00 Set cor. by post from which

an ash 12 in dia bears N 69 W 18 links

T. C. S. R. 10. 78. 2^a Mer End,

On Ash 10 in dia b^t S 65-78 25 CKS,
 12.10 A R Oak 18 in dia,
 80.00 Set Post for to Sec 1 & 12 from which
 a Hickory 22 in dia b^t S 62 78 20 CKS
 A R. Oak 3 3/4 " " " S 75-78 83 "
 Land Sevl, Timber, Oak, Ash,
 & Hickory.

South An E. Boundary of Sec 12,
 37.62 A Hickory 20 in dia,
 40.00 Set of Sec Post from which
 A S. Oak 24 in dia b^t S 17 1/2 E 16 CKS
 A 50 20 " " " S 65-78 36 "
 56.50 A Hickory 22 " "
 80.00 Set Post for to Sec 12 & 13 from which
 A S. Oak 20 in dia b^t S. 48 78 62 CKS
 An Elm 10 " " " N 6 78 45 "
 Land & Same.

South An E. Boundary of Sec 13,
 28.88 A R. Oak 18 in dia,
 40.00 Set of Sec Post from which
 A Gum 12 in dia b^t S 82 78 27 CKS
 A 50 10 " " " N 74 E 24 "
 60.92 A 50 28 " "
 80.00 Set Post for to Sec 13 & 24 from which
 A Gum 30 in dia b^t S 77 78 53 CKS
 A Gum 32 " " " N 41 78 71 "
 Land & Same.

South An E. Boundary of Sec 24,
 10.15 A R. Oak 36 in dia,
 21.65 A. R. " 24 " "
 40.00 Set of Sec Post from which
 An ash 10 in dia b^t S 69 E 06 CKS

J. C. S. R. 10. W. 2nd Mer End, "
Ch² LK,

a. S. Gum 30 in dia b¹ N 78 W 26 LK,
44.50 a B. Oak 40 " " "
80.00 Set Post for to see^d 24 + 25 from which
An Ash 15 in dia b¹ N 34 W 28 LK +
a Maple 16 " " " S 69 W 4 " ,
Sand & Same,

South Au E. Boundary of the 25,
38.15 An ash 18 in dia,
40.00 Set of Set Post from which
An Ash 14 in dia b¹ S 87 W 2 LK +
A Mulberry 10 " " " N 35 W 17 " ,
42.00 over. rising ground to the mile post,
59.50 a W. Oak 18 in dia. on top of Ridge,
80.00 Set Post for to see^d 25 + 26 from which
a B. Oak 18 in dia b¹ S. 69 W 12 LK +
a W " 30 " " " N 57 W 52 " ,
Sand & Same,

South Au E. Boundary of the 36,
19.38 a B. Oak 27 in dia,
40.00 Set of Set Post from which
a Hickory 8 in dia b¹ S 40 W 22 LK +
a do 18 " " " S 88 W 55 " ,
64.75 a B. Oak 18 " " ,
80.00 Town Corner, from which
a W. Oak 15 in dia b¹ S 53 1/2 W 12 LK +
a do 20 " " " N 40 E 47 " ,
Sand & Same, Dec 12, 18 05,
Jacob Fowler, D.S.,

North Boundary, Van

Met Random on S. Boundary of the 36,
J. C. S. R. 10. W.

T. C. S. R. 10. 78, 2nd Mer Ind^a

ch² SKS

440.00 Set trap of the Post,
 44.00 A Branch 50 lks wide course S,
 80.00 Set trap mile Post.
 Land level part wet, Timber
 Oak, Ash, Gum & Hickory

West Random on S. Boundary of Sec 35—
 T. 5 S. R. 10 78,

,55 Wet ground,
 440.00 Set trap of Post,
 80.00 " " Mile Post.
 Last part High & dry. B. Oak & Hickory

West Random on S. Boundary of Sec 34,
 T. 5 S. R. 10 78,

4.00 A Branch 4 lks wide course S,
 40.00 Set trap of Post,
 70.00 Wet Land to Post,
 80.00 Set trap mile Post,
 B. Oak. Good Land for wheat & grass,

West Random on S. Boundary of Sec 33
 T. 5 S. R. 10 78,

110.00 Set trap of Post,
 50.00 Wet Land,
 64.50 A Branch 30 lks wide S. 30 78,
 80.00 Set trap mile post.
 Land level to the Branch, Timber
 Elm, Ash, & Oak,

West Random on S. Boundary of Sec 32
 T. 5 S. R. 10 78,

40.00 Set trap of Post,
 41.50 A Branch 4 lks wide course N,
 62.50 A " " " " " N.N.E.

T. & S. R. 10. N. 2ⁿ Mer Indⁿ
 ch²KS
 80.00 Set trap mile post,
 Low Ridges, Oak, Hickory & Pawpaw,

West Random on S. Boundary of Sec 31,
 T. 5 S. R. 10. W.

36.00 a Branch 5 LKS wide Course S.

40.00 Trap of Post,

71.41 Intersect 15 LKS S. of Town corner,
 Land & same, April 27, 1886,

East corner on S. Boundary of Sec 31, T. 5 S.

34.41 Set of Sec Post from which
 a B. Oak 21 in dia b^t S 97 47 LKS
 Hickory 14 " " " N 60 24 " ,

37.33 a B Oak 36 " " ,

71.41 Set Post for to Sec 31 & 32 from which
 a W. Oak 14 in dia b^t N 37 3 LKS &
 a Poplar 15 " " " S 15 E 24 " ,
 Low Ridges, Oak & Hickory ,

East On S. Boundary of Sec 32, T. 5 S. R. 10 W.

40.00 Set of Post from which
 a Gum 10 in dia b^t N 13 W 12 LKS &
 a " 8 " " " S 14 W 5 " ,

80.00 Set Post for to Sec 32 & 33 from which
 a Hickory 12 in dia b^t N 12 E 12 LKS
 Low Ridges, Oak, Poplar & Hickory ,

East On S. Boundary of Sec 33, T. 5 S. R. 10 W.

3.84 a W. Oak 14 in dia ,

40.00 Set of Sec Post from which
 a W. Oak 18 in dia b^t S 46 W 20 LKS &
 a Ash 10 " " " N 52 E 20 " ,

80.00 Set Post for to Sec 33 & 34 from which
 a Gum 15 in dia b^t S 24 E 23 LKS &
 a W Oak 18 " " " N 63 E 62 " .

F.C.S.R. 1000. 2nd Mer Quad^a

40.00 East Qu. S. Boundary of Sec 34, F.S.S.R. 1000.
Set of Post from which
a B. Oak 22 in dia b^t S. 42° 78' 17" N
An Elm 12 " " " S 38° E 37 " "
80.00 Set Post for to Sec 34 & 35 from which
a Hickory 18 in dia b^t S 23° 78' 13" N
An Elm 15 " " " N 50° 78' 36 " "

40.00 East Qu. S. Boundary of Sec 35, F.S.S.R. 1000.
Set of the Post from which
a B. Oak 8 in dia b^t N 42° E 31 N
An Elm 12 " " " N 47° 78' 16 " "
80.00 Set Post for to Sec 35 & 36, from which
a B. Oak 22 in dia b^t S. 39° 78' 10" N
a D. " " " " N 33° E 28 " "
Sand level post - Net.

40.00 East Qu. S. Boundary of Sec 36, F.S.S.R. 1000.
Set of the Post from which
a Hickory 6 in dia b^t N 58° E 29 N
An Ash 22 " " " S 33° 78' 44 " "
80.00 Set Post for to Towns,
April 27, 1846
Jacob Fowler D.S.

West. Boundary.

South Qu. E. Boundary of Sec 1, F.C.S.R. 1100.
12.45 a B. Oak 22 in dia,
16.00 a Branch 3 LK wide fourer S. 45.77,
40.00 Set of Post from which
a B. Oak 22 in dia b^t S. 34° E 115 LK
a Dogwood 7 " " " S 72° 42' 78' 30 " "
13.75 a Branch 10 LK wide fourer S 30° E
80.00 Set Post for to Sec 1 & 12 from which

S. C. S. R. 10. W. 2^d Mer Indⁿ,
 ch^{rs},
 Alumn 16 in dia b^p S 69 W 5-8 CKS^x
 a B. Oak 7 " " " N 45 W 49 " "
 Low Ridges. Timber Oak & Hickory.

South An. E. Boundary of Sec 12. T6S. R. 11W.
 6.00 An R. Oak 16 in dia,
 40.00 Set of Sec Post from which
 Alumn 8 in dia b^p S 14 W 14 CKS^x
 a do 12 " " " N 45 E 12 " "
 46.45 An Oak 24 in dia,
 70.00 A Branch 6 CKS wide course S. E.
 80.00 Set Post Cor to Sec 12 & 13 from which
 a S. Oak 14 in dia b^p N 40 W 44 CKS^x
 Alumn 13 " " " S 35 W 42 " "
 Low Ridges. Oak & c.

South An. E. Boundary of Sec 13. T6S. R. 11W.
 28.25 Pigeon Creek 278 CKS wide Course N. 10 W.
 January 7, 1856.
 Observations across Pigeon Creek
 from the S. Side, N to a post in the
 line. N 61 W 167 CKS. N 37:20' E Same Post,
 40.00 Set of Post from which
 a Hickory 10 in dia b^p S 79 W 31 CKS^x
 a do 16 " " " South 21 " "
 46.20 a do 14 " " "
 77.69 A Branch 6 CKS wide course S. 50 E.
 80.00 Set Post Cor to Sec 13 & 24 from which
 a W. Oak 18 in dia b^p N 47 W 22 CKS^x
 a do 12 " " " S 70 W 75 " "
 Land level. Timber Oak & Hickory.

South An. E. Boundary of Sec 24. T6S.
 7.54 An R. Oak 14 in dia,
 40.00 Set of Sec Post from which

239

T. C. S. R. 10. W. 2^d Mer Ind^a

A R. Oak 30 in dia b^p S 51 E 23 CKS
A Gum 12 " " " S 3 E 36 " "
41.65 A Branch 4 CKS wide Course W.
44.00 A R. Oak 22 in dia,
68.31 A Branch 6 CKS wide Course W.
80.00 Set Post for to Set 211 & 25 from which
a Poplar 18 in dia b^p N 61 W 54 CKS
A R. Oak 12 " " " S 47 W 56 " "
Land & c Same.

South On E. Boundary of Sec 25, T. C. S. R. 10. W.

2.54 A Poplar 48 in dia,
7.00 Branch 6 CKS wide Course W.
20.63 A Locust 6 in dia Standing on
Bank of the Ohio from which
A R. Oak 6 in dia b^p S 43 W 8 CKS
A DO 13 " " " S 72 E 37 " "
Land & c Same.

Observations
across the Ohio River from End of
Range line, between Ranges 10 & 11 W.
T 27 N. to a tree on S. Side of river,
N 64 W 1195 CKS. S 12° 20' W to the
Same tree.

Jacob Fowler D.S.

Surveyor General's Office

Detroit April 17, 1846.

I certify that the fore-
going Transcript of field notes of T. C. S.
R 10. W of 2^d Mer Ind^a has been
compared with the original notes on
file in this office & found to be correct.